

Package ‘circRNAprofiler’

December 10, 2024

Type Package

Title circRNAprofiler: An R-Based Computational Framework for the Downstream Analysis of Circular RNAs

Version 1.21.0

Author Simona Aufiero

Maintainer Simona Aufiero <simo.aufiero@gmail.com>

Description R-based computational framework for a comprehensive in silico analysis of circRNAs. This computational framework allows to combine and analyze circRNAs previously detected by multiple publicly available annotation-based circRNA detection tools. It covers different aspects of circRNAs analysis from differential expression analysis, evolutionary conservation, biogenesis to functional analysis.

License GPL-3

Encoding UTF-8

biocViews Annotation, StructuralPrediction, FunctionalPrediction, GenePrediction, GenomeAssembly, DifferentialExpression

Depends R(>= 4.3.0)

RoxygenNote 7.2.3

Suggests testthat, knitr, roxygen2, rmarkdown, devtools, gridExtra, ggpubr, VennDiagram, BSgenome.Mmusculus.UCSC.mm9, BSgenome.Hsapiens.UCSC.hg38, BSgenome.Mmusculus.UCSC.mm10, BiocManager,

Imports dplyr, magrittr, readr, rtracklayer, stringr, stringi, DESeq2, edgeR, GenomicRanges, IRanges, seqinr, R.utils, reshape2, ggplot2, utils, rlang, S4Vectors, stats, GenomeInfoDb, universalmotif, AnnotationHub, BSgenome.Hsapiens.UCSC.hg19, Biostrings, gwascat, BSgenome,

VignetteBuilder knitr

URL <https://github.com/Aufiero/circRNAprofiler>

BugReports <https://github.com/Aufiero/circRNAprofiler/issues>

git_url <https://git.bioconductor.org/packages/circRNAprofiler>

git_branch devel

git_last_commit 1018c6c

git_last_commit_date 2024-10-29

Repository Bioconductor 3.21

Date/Publication 2024-12-10

Contents

ahChainFiles	3
ahRepeatMasker	4
annotateBSJs	4
annotateRepeats	5
annotateSNPsGWAS	7
attractSpecies	8
backSplicedJunctions	9
checkProjectFolder	10
filterCirc	11
formatGTF	13
getBackSplicedJunctions	13
getCircSeqs	14
getDeseqRes	15
getDetectionTools	17
getEdgerRes	18
getMiRsites	19
getMotifs	21
getRandomBSJunctions	24
getRegexPattern	24
getSeqsAcrossBSJs	25
getSeqsFromGRs	26
gtf	27
gwasTraits	28
importCircExplorer2	28
importCircMarker	29
importKnife	30
importMapSplice	31
importNCLscan	31
importOther	32
importUroborus	33
initCircRNAprofiler	34
iupac	34
liftBSJcoords	35
memeDB	36
mergeBSJunctions	37
mergedBSJunctions	38
mergeMotifs	39

miRspeciesCodes	40
plotExBetweenBSEs	41
plotExPosition	42
plotHostGenes	43
plotLenBSEs	43
plotLenIntrons	45
plotMiR	46
plotMotifs	48
plotTotExons	50
rearrangeMiRres	51
volcanoPlot	52
Index	55

ahChainFiles	<i>ahChainFile</i>
--------------	--------------------

Description

A data frame containing the AnnotationHub id related to the *.chain.gz file, specific for each species and genome. The file name reflects the assembly conversion data contained within in the format <db1>To<Db2>.over.chain.gz. For example, a file named mm10ToHg19.over.chain.gz file contains the liftOver data needed to convert mm10 (Mouse GRCm38) coordinates to hg19 (Human GRCh37).

Usage

```
data(ahChainFiles)
```

Format

A data frame with 1113 rows and 2 columns

id is the AnnotationHub id

chainFile is the *.chain.gz file

Examples

```
data(ahChainFiles)
```

ahRepeatMasker	<i>ahRepeatMasker</i>
----------------	-----------------------

Description

A data frame containing the AnnotationHub id related to the repeatMasker db, specific for each species and genome.

Usage

```
data(ahRepeatMasker)
```

Format

A data frame with 84 rows and 3 columns

id is the AnnotationHub id

species is the species

genome is the genome assembly

Examples

```
data(ahRepeatMasker)
```

annotateBSJs	<i>Annotate circRNA features.</i>
--------------	-----------------------------------

Description

The function `annotateBSJs()` annotates the circRNA structure and the introns flanking the corresponding back-spliced junctions. The genomic features are extracted from the user provided gene annotation.

Usage

```
annotateBSJs(  
  backSplicedJunctions,  
  gtf,  
  isRandom = FALSE,  
  pathToTranscripts = NULL  
)
```

Arguments

backSplicedJunctions	A data frame containing the back-spliced junction coordinates (e.g. detected or randomly selected). For detected back-spliced junctions see getBackSplicedJunctions and mergeBSJunctions (to group circRNAs detected by multiple detection tools). For randomly selected back-spliced junctions see getRandomBSJunctions .
gtf	A data frame containing genome annotation information. It can be generated with formatGTF .
isRandom	A logical indicating whether the back-spliced junctions have been randomly generated with getRandomBSJunctions . Deafult value is FALSE.
pathToTranscripts	A string containing the path to the transcripts.txt file. The file transcripts.txt contains the transcript ids of the circRNA host gene to analyze. It must have one column with header id. By default pathToTranscripts is set to NULL and the file it is searched in the working directory. If transcripts.txt is located in a different directory then the path needs to be specified. If this file is empty or absent the longest transcript of the circRNA host gene containing the back-spliced junctions are considered in the annotation analysis.

Value

A data frame.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)
```

annotateRepeats

Annotate repetitive elements

Description

The function `annotateRepeats()` annotates repetitive elements located in the region flanking the back-spliced junctions of each circRNA. Repetitive elements are provided by AnnotationHub storage which collected repeats from RepeatMasker database. See [AnnotationHub](#) and <http://www.repeatmasker.org> for more details. An empty list is returned if none overlapping repeats are found.

Usage

```
annotateRepeats(targets, annotationHubID = "AH5122", complementary = TRUE)
```

Arguments

targets A list containing the target regions to analyze. It can be generated with [getSeqsFromGRs](#).

annotationHubID A string specifying the AnnotationHub id to use. Type `data(ahRepeatMasker)` to see all possible options. E.g. if AH5122 is specified, repetitive elements from Homo sapiens, genome hg19 will be downloaded and annotated. Default value is "AH5122".

complementary A logical specifying whether to filter and report only back-spliced junctions of circRNAs which flanking introns contain complementary repeats, that is, repeats belonging to a same family but located on opposite strands.

Value

A list.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){
  genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve targets
targets <- getSeqsFromGRs(
  annotatedBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Annotate repeats

# repeats <- annotateRepeats(targets, annotationHubID = "AH5122", complementary = TRUE)
}
```

annotateSNPsGWAS *Annotate GWAS SNPs*

Description

The function `annotateSNPsGWAS()` annotates GWAS SNPs located in the region flanking the back-spliced junctions of each circRNA. SNPs information including the corresponding genomic coordinates are retrieved from the GWAS catalog database. The user can restrict the analysis to specific traits/diseases. These must go in the file `traits.txt`. If this file is absent or empty, all traits in the GWAS catalog are considered in the analysis. An empty list is returned if none overlapping SNPs are found.

Usage

```

annotateSNPsGWAS(
  targets,
  assembly = "hg19",
  makeCurrent = TRUE,
  pathToTraits = NULL
)

```

Arguments

- `targets` A list containing the target regions to analyze. It can be generated with [getSeqsFromGRs](#).
- `assembly` A string specifying the human genome assembly. Possible options are hg38 or hg19. Current image for GWAS SNPs coordinates is hg38. If hg19 is specified SNPs coordinates are realtime liftOver to hg19 coordinates.
- `makeCurrent` A logical specifying whether to download the current image of the GWAS catalog. If TRUE is specified, the function [makeCurrentGwascat](#) from the `gwascat` package is used to get the more recent image (slow). Default value is TRUE. If FALSE is specified the image data(`ebicat37`) or data(`ebicat38`) are used. NOTE: This second option is not available anymore since data(`ebicat37`) or data(`ebicat38`) from `gwascat` are deprecated.
- `pathToTraits` A string containing the path to the `traits.txt` file. The file `traits.txt` contains diseases/traits specified by the user. It must have one column with header `id`. By default `pathToTraits` is set to NULL and the file it is searched in the working directory. If `traits.txt` is located in a different directory then the path needs to be specified. If this file is absent or empty SNPs associated with all diseases/traits in the GWAS catalog are considered in the SNPs analysis.

Value

A list.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){
  genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")
}

# Retrieve targets
targets <- getSeqsFromGRs(
  annotatedBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Annotate GWAS SNPs - slow

#snpsGWAS <- annotateSNPsGWAS(targets, makeCurrent = TRUE, assembly = "hg19")
}
```

attractSpecies

attractSpecies

Description

A data frame containing the species for which RBP motifs are available in ATtRACT db. See also <http://attract.cnic.es>.

Usage

```
data(attractSpecies)
```

Format

A data frame with 37 rows and 1 columns

species is the species

Examples

```
data(attractSpecies)
```

```
backSplicedJunctions  backSplicedJunctions
```

Description

A data frame containing genomic coordinates (genome assembly hg19) of circRNAs detected by three detection tools (CircMarker(cm), MapSplice2 (m) and NCLscan (n)) in the human left ventricle tissues of 3 controls, 3 patients with dilated cardiomyopathies (DCM) and 3 patients with hypertrophic cardiomyopathies (HCM). This data frame was generated with [getBackSplicedJunctions](#).

Usage

```
data(backSplicedJunctions)
```

Format

A data frame with 63521 rows and 16 columns

id Unique identifier

gene is the gene name whose exon coordinates overlap that of the given back-spliced junctions

strand is the strand where the gene is transcribed

chrom the chromosome from which the circRNA is derived

startUpBSE is the 5' coordinate of the upstream back-spliced exon in the transcript. This corresponds to the back-spliced junction / acceptor site

endDownBSE is the 3' coordinate of the downstream back-spliced exon in the transcript. This corresponds to the back-spliced junction / donor site

tool are the tools that identified the back-spliced junctions

C1 Number of occurrences of each circRNA in control 1

C2 Number of occurrences of each circRNA in control 2

C3 Number of occurrences of each circRNA in control 3

D1 Number of occurrences of each circRNA in DCM 1

D2 Number of occurrences of each circRNA in DCM 2

D3 Number of occurrences of each circRNA in DCM 3

H1 Number of occurrences of each circRNA in HCM 1

H2 Number of occurrences of each circRNA in HCM 2

H3 Number of occurrences of each circRNA in HCM 3

Examples

```
data(backSplicedJunctions)
```

checkProjectFolder *Check project folder*

Description

The function `checkProjectFolder()` verifies that the project folder is set up correctly. It checks that the mandatory files (.gtf file, the folders with the circRNAs_X.txt files and experimnt.txt) are present in the working directory. The function `initCircRNAprofiler` can be used to initialize the project folder.

Usage

```
checkProjectFolder(
  pathToExperiment = NULL,
  pathToGTF = NULL,
  pathToMotifs = NULL,
  pathToMiRs = NULL,
  pathToTranscripts = NULL,
  pathToTraits = NULL
)
```

Arguments

<code>pathToExperiment</code>	A string containing the path to the experiment.txt file. The file experiment.txt contains the experiment design information. It must have at least 3 columns with headers: - label (1st column): unique names of the samples (short but informative). - fileName (2nd column): name of the input files - e.g. circRNAs_X.txt, where x can be 001, 002 etc. - group (3rd column): biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions. By default pathToExperiment is set to NULL and the file it is searched in the working directory. If experiment.txt is located in a different directory then the path needs to be specified.
<code>pathToGTF</code>	A string containing the path to the the GTF file. Use the same annotation file used during the RNA-seq mapping procedure. By default pathToGTF is set to NULL and the file it is searched in the working directory. If .gtf is located in a different directory then the path needs to be specified.
<code>pathToMotifs</code>	A string containing the path to the motifs.txt file. The file motifs.txt contains motifs/regular expressions specified by the user. It must have 3 columns with headers: - id (1st column): name of the motif. - e.g. RBM20 or motif1. - motif (2nd column): motif/pattern to search. - length (3rd column): length of the motif. By default pathToMotifs is set to NULL and the file it is searched in the working directory. If motifs.txt is located in a different directory then the path needs to be specified. If this file is absent or empty only the motifs of RNA Binding Proteins in the ATiRACT or MEME database are considered in the motifs analysis.

pathToMiRs	A string containing the path to the miRs.txt file. The file miRs.txt contains the microRNA ids from miRBase specified by the user. It must have one column with header id. The first row must contain the miR name starting with the ">", e.g >hsa-miR-1-3p. The sequences of the miRs will be automatically retrieved from the mirBase latest release or from the given mature.fa file, that should be present in the working directory. By default pathToMiRs is set to NULL and the file it is searched in the working directory. If miRs.txt is located in a different directory then the path needs to be specified. If this file is absent or empty, all miRs of the species specified in input are considered in the miRNA analysis.
pathToTranscripts	A string containing the path to the transcripts.txt file. The file transcripts.txt contains the transcript ids of the circRNA host gene to analyze. It must have one column with header id. By default pathToTranscripts is set to NULL and the file it is searched in the working directory. If transcripts.txt is located in a different directory then the path needs to be specified. If this file is empty or absent the longest transcript of the circRNA host gene containing the back-spliced junctions are considered in the annotation analysis.
pathToTraits	A string containing the path to the traits.txt file. contains diseases/traits specified by the user. It must have one column with header id. By default pathToTraits is set to NULL and the file it is searched in the working directory. If traits.txt is located in a different directory then the path needs to be specified. If this file is absent or empty SNPs associated with all diseases/traits in the GWAS catalog are considered in the SNPs analysis.

Value

An integer. If equals to 0 the project folder is correctly set up.

Examples

```
checkProjectFolder()
```

filterCirc

Filter circRNAs

Description

The functions filterCirc() filters circRNAs on different criteria: condition and read counts. The info reported in experiment.txt file are needed for filtering step.

Usage

```
filterCirc(
  backSplicedJunctions,
  allSamples = FALSE,
  min = 3,
  pathToExperiment = NULL
)
```

Arguments

- backSplicedJunctions**
A data frame containing back-spliced junction coordinates and counts. See [getBackSplicedJunctions](#) and [mergeBSJunctions](#) (to group circRNA detected by multiple detection tools) on how to generated this data frame.
- allSamples**
A string specifying whether to apply the filter to all samples. Default value is FALSE.
- min**
An integer specifying the read counts cut-off. If allSamples = TRUE and min = 0 all circRNAs are kept. If allSamples = TRUE and min = 3, a circRNA is kept if all samples have at least 3 counts. If allSamples = FALSE and min = 2 the filter is applied to the samples of each condition separately meaning that a circRNA is kept if at least 2 counts are present in all sample of 1 of the conditions. Default value is 3.
- pathToExperiment**
A string containing the path to the experiment.txt file. The file experiment.txt contains the experiment design information. It must have at least 3 columns with headers:
label: (1st column) - unique names of the samples (short but informative).
fileName: (2nd column) - name of the input files - e.g. circRNAs_X.txt, where x can be can be 001, 002 etc.
group: (3rd column) - biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions.
 By default pathToExperiment is set to NULL and the file it is searched in the working directory. If experiment.txt is located in a different directory then the path needs to be specified.

Value

A data frame.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

pathToExperiment <- system.file("extdata", "experiment.txt",
  package = "circRNAprofiler")

# Filter circRNAs
filteredCirc <- filterCirc(
  mergedBSJunctions,
  allSamples = FALSE,
  min = 5,
  pathToExperiment)
```

formatGTF	<i>Format annotation file</i>
-----------	-------------------------------

Description

The function formatGTF() formats the given annotation file.

Usage

```
formatGTF(pathToGTF = NULL)
```

Arguments

pathToGTF	A string containing the path to the GTF file. Use the same annotation file used during the RNA-seq mapping procedure. If .gtf file is not present in the current working directory the full path should be specified.
-----------	---

Value

A data frame.

Examples

```
gtf <- formatGTF()
```

getBackSplicedJunctions	<i>Import detected circRNAs</i>
-------------------------	---------------------------------

Description

The function getBackSplicedJunctions() reads the circRNAs_X.txt with the detected circRNAs, adapts the content and generates a unique data frame with all circRNAs identified by each circRNA detection tool and the occurrences found in each sample (named as reported in the column label in experiment.txt).

Usage

```
getBackSplicedJunctions(gtf, pathToExperiment = NULL)
```

Arguments

gtf A data frame containing the annotation information. It can be generated with [formatGTF](#).

pathToExperiment A string containing the path to the experiment.txt file. The file experiment.txt contains the experiment design information. It must have at least 3 columns with headers:

label: (1st column) - unique names of the samples (short but informative).

fileName: (2nd column) - name of the input files - e.g. circRNAs_X.txt, where x can be 001, 002 etc.

group: (3rd column) - biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions.

By default pathToExperiment is set to NULL and the file it is searched in the working directory. If experiment.txt is located in a different directory then the path needs to be specified.

Value

A data frame.

See Also

[backSplicedJunctions](#) for a description of the data frame containing back-spliced junctions coordinates.

Examples

```
check <- checkProjectFolder()

if(check == 0){
# Create gtf object
gtf <- formatGTF(pathToGTF)

# Read and adapt detected circRNAs
backSplicedJunctions<- getBackSplicedJunctions(gtf)}
```

getCircSeqs

Retrieve circRNA sequences

Description

The function getCircSeqs() retrieves the circRNA sequences. The circRNA sequence is given by the sequences of the exons in between the back-spliced-junctions. The exon sequences are retrieved and then concatenated together to recreate the circRNA sequence. To recreate the back-spliced junction sequence 50 nucleotides are taken from the 5' head and attached at the 3' tail of each circRNA sequence.

Usage

```
getCircSeqs(annotatedBSJs, gtf, genome)
```

Arguments

`annotatedBSJs` A data frame with the annotated back-spliced junctions. It can be generated with [annotateBSJs](#).

`gtf` A data frame containing genome annotation information. It can be generated with [formatGTF](#).

`genome` A BSgenome object containing the genome sequences. It can be generated with [getBSgenome](#). See [available.genomes](#) to see the BSgenome package currently available

Value

A list.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){
  genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

  # Retrieve target sequences
  targets <- getCircSeqs(
    annotatedBSJs,
    gtf,
    genome)
}
```

Description

The helper functions `getDeseqRes()` identifies differentially expressed circRNAs. The latter uses respectively the R Bioconductor packages DESeq2 which implements a beta-binomial model to model changes in circRNA expression.

Usage

```
getDeseqRes(
  backSplicedJunctions,
  condition,
  pAdjustMethod = "BH",
  pathToExperiment = NULL,
  ...
)
```

Arguments

- backSplicedJunctions**
A data frame containing the back-spliced junction coordinates and counts in each analyzed sample. See [getBackSplicedJunctions](#) and [mergeBSJunctions](#) (to group circRNA detected by multiple detection tools) on how to generate this data frame.
- condition**
A string specifying which conditions to compare. Only 2 conditions at the time can be analyzed. Separate the 2 conditions with a dash, e.g. A-B. Use the same name used in column condition in `experiment.txt`. `log2FC` calculation is performed by comparing the condition positioned forward against the condition positioned backward in the alphabet. E.g. if there are 2 conditions A and B then a negative `log2FC` means that in condition B there is a downregulation of the corresponding circRNA. If a positive `log2FC` is found means that there is an upregulation in condition B of that circRNA.
- pAdjustMethod**
A character string stating the method used to adjust p-values for multiple testing. See [p.adjust](#). Default value is "BH".
- pathToExperiment**
A string containing the path to the `experiment.txt` file. The file `experiment.txt` contains the experiment design information. It must have at least 3 columns with headers:
label: (1st column) - unique names of the samples (short but informative).
fileName: (2nd column) - name of the input files - e.g. `circRNAs_X.txt`, where x can be 001, 002 etc.
group: (3rd column) - biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions.
 By default `pathToExperiment` is set to NULL and the file it is searched in the working directory. If `experiment.txt` is located in a different directory then the path needs to be specified.
- ...**
Arguments to be passed to the DESeq function used internally from DESeq2 package. If nothing is specified the default values of the function [DESeq](#) are used.

Value

A data frame.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

pathToExperiment <- system.file("extdata", "experiment.txt",
  package = "circRNAprofiler")

# Filter circRNAs
filteredCirc <- filterCirc(
  mergedBSJunctions,
  allSamples = FALSE,
  min = 5,
  pathToExperiment)

# Find differentially expressed circRNAs
deseqResBvsA <- getDeseqRes(
  filteredCirc,
  condition = "A-B",
  pAdjustMethod = "BH",
  pathToExperiment)
```

getDetectionTools *Create data frame with circRNA detection codes*

Description

The function getDetectionTools() creates a data frame containing the codes corresponding to each circRNA detection tool for which a specific import function has been developed.

Usage

```
getDetectionTools()
```

Value

A data frame

Examples

```
getDetectionTools()
```

 getEdgerRes

Differential circRNA expression analysis adapted from EdgeR

Description

The helper functions `edgerRes()` identifies differentially expressed circRNAs. The latter uses respectively the R Bioconductor packages `EdgeR` which implements a beta-binomial model to model changes in circRNA expression. The info reported in `experiment.txt` file are needed for differential expression analysis.

Usage

```
getEdgerRes(
  backSplicedJunctions,
  condition,
  normMethod = "TMM",
  pAdjustMethod = "BH",
  pathToExperiment = NULL
)
```

Arguments

- | | |
|----------------------|--|
| backSplicedJunctions | A data frame containing the back-spliced junction coordinates and counts in each analyzed sample. See getBackSplicedJunctions and mergeBSJunctions (to group circRNA detected by multiple detection tools) on how to generated this data frame. |
| condition | A string specifying which conditions to compare. Only 2 conditions at the time can be analyzed. Separate the 2 conditions with a dash, e.g. A-B. Use the same name used in column condition in <code>experiment.txt</code> . <code>log2FC</code> calculation is performed by comparing the condition positioned forward against the condition positioned backward in the alphabet. E.g. if there are 2 conditions A and B then a negative <code>log2FC</code> means that in condition B there is a downregulation of the corresponding circRNA. If a positive <code>log2FC</code> is found means that there is an upregulation in condition B of that circRNA. |
| normMethod | A character string specifying the normalization method to be used. It can be "TMM", "RLE", "upperquartile" or "none". The value given to the method argument is given to the calcNormFactors used internally. Deafult value is "TMM". |
| pAdjustMethod | A character string stating the method used to adjust p-values for multiple testing. See p.adjust . Deafult value is "BH". |
| pathToExperiment | A string containing the path to the <code>experiment.txt</code> file. The file <code>experiment.txt</code> contains the experiment design information. It must have at least 3 columns with headers:

label: (1st column) - unique names of the samples (short but informative). |

fileName: (2nd column) - name of the input files - e.g. circRNAs_X.txt, where x can be can be 001, 002 etc.

group: (3rd column) - biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions.

By default pathToExperiment is set to NULL and the file it is searched in the working directory. If experiment.txt is located in a different directory then the path needs to be specified.

Value

A data frame.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

pathToExperiment <- system.file("extdata", "experiment.txt",
  package = "circRNAprofiler")

# Filter circRNAs
filteredCirc <- filterCirc(
  mergedBSJunctions,
  allSamples = FALSE,
  min = 5,
  pathToExperiment)

# Find differentially expressed circRNAs
deseqResBvsa <- getEdgerRes(
  filteredCirc,
  condition = "A-B",
  normMethod = "TMM",
  pAdjustMethod = "BH",
  pathToExperiment)
```

getMiRsites

Screen target sequences for miR binding sites

Description

The function getMirSites() searches miRNA binding sites within the circRNA sequences. The user can restrict the analysis only to a subset of miRs. In this case, miR ids must go in miR.txt file. If the latter is absent or empty, all miRs of the specified miRspeciesCode are considered in the analysis.

Usage

```
getMiRsites(  
  targets,  
  miRspeciesCode = "hsa",  
  miRBaseLatestRelease = TRUE,  
  totalMatches = 7,  
  maxNonCanonicalMatches = 1,  
  pathToMiRs = NULL  
)
```

Arguments

- targets** A list containing the target sequences to analyze. This data frame can be generated with [getCircSeqs](#).
- miRspeciesCode** A string specifying the species code (3 letters) as reported in miRBase db. E.g. to analyze the mouse microRNAs specify "mmu", to analyze the human microRNAs specify "hsa". Type `data(miRspeciesCode)` to see the available codes and the corresponding species reported in miRBase 22 release. Default value is "hsa".
- miRBaseLatestRelease** A logical specifying whether to download the latest release of the mature sequences of the microRNAs from miRBase (<http://www.mirbase.org/ftp.shtml>). If TRUE is specified then the latest release is automatically downloaded. If FALSE is specified then a file named `mature.fa` containing fasta format sequences of all mature miRNA sequences previously downloaded by the user from miRBase must be present in the working directory. Default value is TRUE.
- totalMatches** An integer specifying the total number of matches that have to be found between the seed region of the miR and the seed site of the target sequence. If the total number of matches found is less than the cut-off, the seed site is discarded. The maximum number of possible matches is 7. Default value is 7.
- maxNonCanonicalMatches** An integer specifying the max number of non-canonical matches (G:U) allowed between the seed region of the miR and the seed site of the target sequence. If the max non-canonical matches found is greater than the cut-off, the seed site is discarded. Default value is 1.
- pathToMiRs** A string containing the path to the `miRs.txt` file. The file `miRs.txt` contains the microRNA ids from miRBase specified by the user. It must have one column with header `id`. The first row must contain the miR name starting with the ">", e.g. `>hsa-miR-1-3p`. The sequences of the miRs will be automatically retrieved from the miRBase latest release or from the given `mature.fa` file, that should be present in the working directory. By default `pathToMiRs` is set to NULL and the file it is searched in the working directory. If `miRs.txt` is located in a different directory then the path needs to be specified. If this file is absent or empty, all miRs of the specified species are considered in the miRNA analysis.

Value

A list.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){
  genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")
}

# Retrieve target sequences.
targets <- getCircSeqs(
  annotatedBSJs,
  gtf,
  genome)

# Screen target sequence for miR binding sites.
pathToMiRs <- system.file("extdata", "miRs.txt", package="circRNAprofiler")

#miRsites <- getMiRsites(
# targets,
# miRspeciesCode = "hsa",
# miRBaseLatestRelease = TRUE,
# totalMatches = 6,
# maxNonCanonicalMatches = 1,
# pathToMiRs )
}
```

getMotifs

Screen target sequences for recurrent motifs

Description

The function `getMotifs()` scans the target sequences for the presence of recurrent motifs of a specific length defined in input. By setting `rbp` equals to `TRUE`, the identified motifs are matched with motifs of known RNA Binding Proteins (RBPs) deposited in the ATtRACT (<http://attract.cnic.es>) or MEME database (<http://meme-suite.org/>) and with motifs specified by the user. The user motifs must go in the file `motifs.txt`. If this file is absent or empty, only motifs from the ATtRACT or MEME database are considered in the analysis. By setting `rbp` equals to `FALSE`, only motifs

that do not match with any motifs deposited in the databases or user motifs are reported in the final output. Location of the selected motifs is also reported. This corresponds to the start position of the motif within the sequence (1-index based).

Usage

```
getMotifs(
  targets,
  width = 6,
  database = "ATtRACT",
  species = "Hsapiens",
  memeIndexPath = 18,
  rbp = TRUE,
  reverse = FALSE,
  pathToMotifs = NULL
)
```

Arguments

targets	A list containing the target sequences to analyze. It can be generated with getCircSeqs , getSeqsAcrossBSJs or getSeqsFromGRs .
width	An integer specifying the length of all possible motifs to extract from the target sequences. Default value is 6.
database	A string specifying the RBP database to use. Possible options are ATtRACT or MEME. Default database is "ATtRACT".
species	A string specifying the species of the ATtRACT RBP motifs to use. Type <code>data(attractSpecies)</code> to see the possible options. Default value is "Hsapiens".
memeIndexPath	An integer specifying the index of the file path of the meme file to use. Type <code>data(memeDB)</code> to see the possible options. Default value is 18 corresponding to the following file: <code>motif_databases/RNA/Ray2013_rbp_Homo_sapiens.meme</code>
rbp	A logical specifying whether to report only motifs matching with known RBP motifs from ATtRACT database or user motifs specified in <code>motifs.txt</code> . If FALSE is specified only motifs that do not match with any of these motifs are reported. Default values is TRUE.
reverse	A logical specifying whether to reverse the motifs collected from ATtRACT database and from <code>motifs.txt</code> . If TRUE is specified all the motifs are reversed and analyzed together with the direct motifs as they are reported in the ATtRACT db and <code>motifs.txt</code> . Default value is FALSE.
pathToMotifs	A string containing the path to the <code>motifs.txt</code> file. The file <code>motifs.txt</code> contains motifs/regular expressions specified by the user. It must have 3 columns with headers: id: (1st column) - name of the motif. - e.g. RBM20 or motif1). motif: (2nd column) -motif/pattern to search. length: (3rd column) - length of the motif.

By default pathToMotifs is set to NULL and the file it is searched in the working directory. If motifs.txt is located in a different directory then the path needs to be specified. If this file is absent or empty only the motifs of RNA Binding Proteins in the ATtRACT database are considered in the motifs analysis.

Value

A list.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Example with the first back-spliced junction
# Multiple back-spliced junctions can also be analyzed at the same time

# Annotate the first back-spliced junction
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){

genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve target sequences
targets <- getSeqsFromGRs(
  annotatedBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Get motifs
motifs <- getMotifs(
  targets,
  width = 6,
  database = 'ATtRACT',
  species = "Hsapiens",
  rbp = TRUE,
  reverse = FALSE)

}
```

getRandomBSJunctions *Retrieve random back-spliced junctions*

Description

The function getRandomBSJunctions() retrieves random back-spliced junctions from the user genome annotation.

Usage

```
getRandomBSJunctions(gtf, n = 100, f = 10, setSeed = NULL)
```

Arguments

gtf	A dataframe containing genome annotation information This can be generated with formatGTF .
n	Integer specifying the number of randomly selected transcripts from which random back-spliced junctions are extracted. Default value = 100.
f	An integer specifying the fraction of single exon circRNAs that have to be present in the output data frame. Default value is 10.
setSeed	An integer which is used for selecting random back-spliced junctions. Default values is set to NULL.

Value

A data frame.

Examples

```
# Load short version of the gencode v19 annotation file
data("gtf")

# Get 10 random back-spliced junctions
randomBSJunctions <- getRandomBSJunctions(gtf, n = 10, f = 10)
```

getRegexPattern *Convert IUPAC sequence to an regular expression*

Description

The function getRegexPattern() converts a nucleotide sequence with IUPAC codes to an regular expression.

Usage

```
getRegexPattern(iupacSeq, isDNA = FALSE)
```

Arguments

iupacSeq	A character string with IUPAC codes.
isDNA	A logical specifying whether the iupacSeq is DNA or RNA. Deafult value is FALSE.

Value

A character string.

Examples

```
regextPattern <- getRegexPattern("CGUKMBVNN", isDNA = FALSE)
```

getSeqsAcrossBSJs	<i>Retrieve back-spliced junction sequences</i>
-------------------	---

Description

The function `getSeqsAcrossBSJs()` retrieves the sequences across the back-spliced junctions. A total of 11 nucleotides from each side of the back-spliced junction are taken and concatenated together.

Usage

```
getSeqsAcrossBSJs(annotatedBSJs, gtf, genome)
```

Arguments

annotatedBSJs	A data frame with the annotated back-spliced junctions. It can be generated with annotateBSJs .
gtf	A dataframe containing genome annotation information. It can be generated with formatGTF .
genome	A BSgenome object containing the genome sequences. It can be generated with getBSgenome . See available.genomes to see the BSgenome package currently available.

Value

A list.

Examples

```

# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){

genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve target sequences
targets <- getSeqsAcrossBSJs(
  annotatedBSJs,
  gtf,
  genome)
}

```

getSeqsFromGRs

Retrieve sequences flanking back-spliced junctions

Description

The function `getSeqsFromGRs()` includes 3 modules to retrieve 3 types of sequences. Sequences of the introns flanking back-spliced junctions, sequences from a defined genomic window surrounding the back-spliced junctions and sequences of the back-spliced exons.

Usage

```
getSeqsFromGRs(annotatedBSJs, genome, lIntron = 100, lExon = 10, type = "ie")
```

Arguments

annotatedBSJs	A data frame with the annotated back-spliced junctions. This data frame can be generated with annotateBSJs .
genome	A BSgenome object containing the genome sequences. It can be generated with getBSgenome . See available.genomes to see the BSgenome package currently available
lIntron	An integer indicating how many nucleotides are taken from the introns flanking the back-spliced junctions. This number must be positive. Default value is 100.

lExon	An integer indicating how many nucleotides are taken from the back-spliced exons starting from the back-spliced junctions. This number must be positive. Default value is 10.
type	A character string specifying the sequences to retrieve. If type = "ie" the sequences are retrieved from the the genomic ranges defined by using the lIntron and lExon given in input. If type = "bse" the sequences of the back-spliced exons are retrieved. If type = "fi" the sequences of the introns flanking the back-spliced exons are retrieved. Default value is "ie".

Value

A list.

Examples

```
# Load data frame containing predicted back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
if (requireNamespace("BSgenome.Hsapiens.UCSC.hg19", quietly = TRUE)){
  genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")
}

# Retrieve target sequences
targets <- getSeqsFromGRs(
  annotatedBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)
```

gtf

gtf

Description

A data frame containing a short version of the already formatted gencode v19 based-genome annotations. This data frame can be generated with [formatGTF](#).

Usage

```
data(gtf)
```

Format

An object of class `data.frame` with 4401 rows and 9 columns.

Examples

```
data(gtf)
```

<code>gwasTraits</code>	<code><i>gwasTraits</i></code>
-------------------------	--------------------------------

Description

A data frame containing the traits/disease extracted on the 31th October 2018 from the GWAS catalog. See also <https://www.ebi.ac.uk/gwas/> for more detail.

Usage

```
data(gwasTraits)
```

Format

A data frame with 653 rows and 1 columns

id is the trait/disease as reported in the GWAS catalog

Examples

```
data(gwasTraits)
```

<code>importCircExplorer2</code>	<code><i>Import circRNAs detected by CircExplorer2</i></code>
----------------------------------	---

Description

The function `importCircExplorer2` is specifically designed to read and adapt the `circExplorer2` v2.3.4 output file (`circularRNA_full.txt`). See <https://github.com/YangLab/CIRCexplorer2.git> for more details.

Usage

```
importCircExplorer2(pathToFile)
```

Arguments

pathToFile A character string specifying the path to the file containing the detected circRNAs.

Value

A data frame.

Examples

```
# Path to an example file containing circRNAs detected by CIRCexplorer2
pathToFile <- system.file("extdata", "circexplorer2/circRNAs_001.txt",
package="circRNAprofiler")

# Inner function.
# Import circRNAs.
importCircExplorer2(pathToFile)
```

importCircMarker *Import circRNAs detected by CircMarker*

Description

The function importCircMarker is specifically designed to read and adapt the CircMarker (July.24.2018) output file (Brief_sum.txt). See <https://github.com/lxwgcool/CircMarker> for more details.

Usage

```
importCircMarker(pathToFile, gtf)
```

Arguments

pathToFile A character string specifying the path to the file containing the detected circRNAs.

gtf A data frame containing the formatted GTF file. This is generated with [formatGTF](#).

Value

A data frame.

Examples

```
# Load short version of the gencode v19 annotation file
data("gtf")

# Path to an example file containing circRNA detected by CircMarker
pathToFile <- system.file("extdata", "circmarker/circRNAs_001.txt",
  package="circRNAprofiler")

# Inner function.
# Import circRNAs.
# Due to the short version of the gtf file gene names might miss in the
# returned output.
importCircMarker(pathToFile, gtf)
```

importKnife

Import circRNAs detected by KINFE

Description

The function importKnife is specifically designed to read and adapt the KNIFE v1.5 output file (circJuncProbs.txt). See <https://github.com/lindaszabo/KNIFE.git> for more details.

Usage

```
importKnife(pathToFile)
```

Arguments

pathToFile A character string specifying the path to the file containing the detected circRNAs.

Value

A data frame.

Examples

```
# Path to an example file containing circRNAs detected by KNIFE
pathToFile <- system.file("extdata", "knife/circRNAs_001.txt",
  package="circRNAprofiler")

# Inner function.
# Import circRNAs.
importKnife(pathToFile)
```

importMapSplice	<i>Import circRNAs detected by MapSplice2</i>
-----------------	---

Description

The function importMapSplice is specifically designed to read and adapt the MapSplice2-v2.2.0 output file (circularRNAs.txt). See <https://github.com/davidroberson/MapSplice2> for more details.

Usage

```
importMapSplice(pathToFile)
```

Arguments

pathToFile	A character string specifying the path to the file containing the detected circRNAs.
------------	--

Value

A data frame.

Examples

```
# Path to an example file containing circRNA detected by MapSplice2
pathToFile <- system.file("extdata", "mapsplice/circRNAs_001.txt",
  package="circRNAprofler")

# Inner function.
# Import circRNAs.
importMapSplice(pathToFile)
```

importNCLscan	<i>Import circRNAs detected by NCLscan</i>
---------------	--

Description

The function importNCLscan is specifically designed to read and adapt the NCLscan v1.4 output file (e.g. MyProject.result). Only intragenic circRNAs are kept in the analysis. See <https://github.com/TreesLab/NCLscan> for more details.

Usage

```
importNCLscan(pathToFile)
```

Arguments

pathToFile A character string specifying the path to the file containing the detected circRNAs.

Value

A data frame.

Examples

```
# Path to an example file containing circRNAs detected by NCLscan
pathToFile <- system.file("extdata", "nclscan/circRNAs_001.txt",
  package="circRNAprofiler")

# Inner function.
# Import circRNAs
importNCLscan(pathToFile)
```

importOther	<i>Import circRNAs detected by an annotation-based circRNA detection tool</i>
-------------	---

Description

The function importOther() is designed to read output file from a annotation-based circRNA detection tool. The user after the detection of the circRNAs must format the output file, so that it has the following columns with header: gene, strand, chrom, startUpBSE, endDownBSE and coverage. If more columns are present they will be discarded.

Usage

```
importOther(pathToFile)
```

Arguments

pathToFile A character string specifying the path to the file containing the detected circRNAs.

Value

A data frame.

Examples

```
# Path to an example file containing circRNAs
pathToFile <- system.file("extdata", "tool1/circRNAs_001.txt",
  package="circRNAprofiler")

# Inner function.
# Import circRNAs
importOther(pathToFile)
```

importUroborus	<i>Import circRNAs detected by UROBORUS</i>
----------------	---

Description

The function importUroborus is specifically designed to read and adapt the UROBORUS v2.0.0 output file (circRNA_list.txt). See <https://github.com/WGLab/UROBORUS> for more details.

Usage

```
importUroborus(pathToFile)
```

Arguments

pathToFile	A character string specifying the path to the file containing the detected circRNAs.
------------	--

Value

A data frame.

Examples

```
# Path to an example file containing circRNA detected by UROBORUS
pathToFile <- system.file("extdata", "uroborus/circRNAs_001.txt",
  package="circRNAprofiler")

# Inner function.
# Import circRNAs.
importUroborus(pathToFile)
```

initCircRNAprofiler *Initialize the project folder*

Description

The function `initCircRNAprofiler()` initializes the project folder.

Usage

```
initCircRNAprofiler(projectFolderName, detectionTools)
```

Arguments

projectFolderName

A character string specifying the name of the project folder.

detectionTools

A character vector specifying the tools used to predict circRNAs. The following options are allowed: `mapsplice`, `nelscan`, `knife`, `circexplorer2`, `circmarker` and `uroborus`. If the tool is not `mapsplice`, `nelscan`, `knife`, `circexplorer2`, `uroborus` or `circmarker` then use the option `other`. The user can choose 1 or multiple tools. Subfolders named as the specified tools will be generated under the working directory.

Value

A NULL object

Examples

```
## Not run:  
initCircRNAprofiler(projectFolderName = "circProject",  
  detectionTools = "mapsplice")  
  
## End(Not run)
```

iupac

iupac

Description

A data frame containing IUPAC codes and the corresponding regular expression.

Usage

```
data(iupac)
```

Format

A data frame with 18 rows and 4 columns

code is the IUPAC nucleotide code

base is the base

regexDNA is the regular expression of the corresponding IUPAC code

regexRNA is the regular expression of the corresponding IUPAC code

Examples

```
data(iupac)
```

liftBSJcoords	<i>LiftOver back-spliced junction coordinates</i>
---------------	---

Description

The function liftBSJcoords() maps back-spliced junction coordinates between species and genome assemblies by using the liftOver utility from UCSC. Only back-spliced junction coordinates where the mapping was successful are reported.

Usage

```
liftBSJcoords(
  backSplicedJunctions,
  map = "hg19ToMm9",
  annotationHubID = "AH14155"
)
```

Arguments

backSplicedJunctions

A data frame containing the back-spliced junction coordinates (predicted or randomly selected). See [getRandomBSJunctions](#), [getBackSplicedJunctions](#) and [mergeBSJunctions](#) (to group circRNAs detected by multiple detection tools), on how to generate this data frame.

map

A character string in the format <db1>To<Db2> (e.g. "hg19ToMm9") specifying the reference genome mapping logic associated with a valid .chain file. Default value is "hg19ToMm9".

annotationHubID

A string specifying the AnnotationHub id associated with a valid *.chain file. Type data(ahChainFiles) to see all possible options. E.g. if AH14155 is specified, the hg19ToMm9.over.chain.gz will be used to convert the hg19 (Human GRCh37) coordinates to mm10 (Mouse GRCm38). Default value is "AH14155".

Value

a data frame.

Examples

```
# Load a data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# LiftOver the first 10 back-spliced junction coordinates
liftedBSJcoords <- liftBSJcoords(mergedBSJunctions[1:10,], map = "hg19ToMm9")
```

memeDB

memeDB

Description

A dataframe containing the file paths of the files containing the RBP motifs in meme format available in MEME db. See also <http://meme-suite.org/doc/download.html>. File paths extracted from RNA folder of motif_databases.12.19.tgz (Motif Databases updated 28 Oct 2019)

Usage

```
data(memeDB)
```

Format

A character vector with 25 rows and 2 columns

path is the file path

index index of the file path

Examples

```
data(memeDB)
```

mergeBSJunctions	<i>Group circRNAs identified by multiple prediction tools</i>
------------------	---

Description

The function `mergeBSJunctions()` shrinks the data frame by grouping back-spliced junctions commonly identified by multiple detection tools. The read counts of the samples reported in the final data frame will be the ones of the tool that detected the highest total mean across all samples. All the tools that detected the back-spliced junctions are then listed in the column "tool" of the final data frame. See [getDetectionTools](#) for more detail about the code corresponding to each circRNA detection tool.

NOTE: Since different detection tools can report slightly different coordinates before grouping the back-spliced junctions, it is possible to fix the latter using the `gtf` file. In this way the back-spliced junctions coordinates will correspond to the exon coordinates reported in the `gtf` file. A difference of maximum 2 nucleotides is allowed between the `bsj` and exon coordinates. See param `fixBSJsWithGTF`.

Usage

```
mergeBSJunctions(  
  backSplicedJunctions,  
  gtf,  
  pathToExperiment = NULL,  
  exportAntisense = FALSE,  
  fixBSJsWithGTF = FALSE  
)
```

Arguments

<code>backSplicedJunctions</code>	A data frame containing back-spliced junction coordinates and counts generated with getBackSplicedJunctions .
<code>gtf</code>	A data frame containing genome annotation information, generated with formatGTF .
<code>pathToExperiment</code>	A string containing the path to the <code>experiment.txt</code> file. The file <code>experiment.txt</code> contains the experiment design information. It must have at least 3 columns with headers: - label (1st column): unique names of the samples (short but informative). - fileName (2nd column): name of the input files - e.g. <code>circRNAs_X.txt</code> , where x can be 001, 002 etc. - group (3rd column): biological conditions - e.g. A or B; healthy or diseased if you have only 2 conditions. By default <code>pathToExperiment</code> is set to <code>NULL</code> and the file it is searched in the working directory. If <code>experiment.txt</code> is located in a different directory then the path needs to be specified.
<code>exportAntisense</code>	A logical specifying whether to export the identified antisense circRNAs in a file named <code>antisenseCircRNAs.txt</code> . Default value is <code>FALSE</code> . A circRNA is defined antisense if the strand reported in the prediction results is different from

the strand reported in the genome annotation file. The antisense circRNAs are removed from the returned data frame.

fixBSJsWithGTF A logical specifying whether to fix the back-spliced junctions coordinates using the GTF file. Default value is FALSE.

Value

A data frame.

Examples

```
# Load detected back-spliced junctions
data("backSplicedJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

pathToExperiment <- system.file("extdata", "experiment.txt",
  package = "circRNAprofiler")

# Merge commonly identified circRNAs
mergedBSJunctions <- mergeBSJunctions(backSplicedJunctions, gtf,
  pathToExperiment)
```

mergedBSJunctions *mergedBSJunctions*

Description

A data frame containing genomic coordinates (genome assembly hg19) detected in human LV tissues of controls and diseased hearts. This data frame was generated with [mergedBSJunctions](#) which grouped circRNAs commonly identified by the three tools (CircMarker(cm), MapSplice2 (m) and NCLscan (n)) used for circRNAs detection.

Usage

```
data(mergedBSJunctions)
```

Format

A data frame with 41558 rows and 16 columns

id Unique identifier

gene is the gene name whose exon coordinates overlap that of the given back-spliced junctions

strand is the strand where the gene is transcribed

chrom the chromosome from which the circRNA is derived

startUpBSE is the 5' coordinate of the upstream back-spliced exon in the transcript. This corresponds to the back-spliced junction / acceptor site

endDownBSE is the 3' coordinate of the downstream back-spliced exon in the transcript. This corresponds to the back-spliced junction / donor site

tool are the tools that identified the back-spliced junctions

C1 Number of occurrences of each circRNA in control 1

C2 Number of occurrences of each circRNA in control 2

C3 Number of occurrences of each circRNA in control 3

D1 Number of occurrences of each circRNA in DCM 1

D2 Number of occurrences of each circRNA in DCM 2

D3 Number of occurrences of each circRNA in DCM 3

H1 Number of occurrences of each circRNA in HCM 1

H2 Number of occurrences of each circRNA in HCM 2

H3 Number of occurrences of each circRNA in HCM 3

Examples

```
data(mergedBSJunctions)
```

mergeMotifs

Group motifs shared by multiple RBPs

Description

A same RBP can recognize multiple motifs, the function mergeMotifs() groups all the motifs found for each RBP and report the total counts.

Usage

```
mergeMotifs(motifs)
```

Arguments

motifs A data frame generated with [getMotifs](#).

Value

A data frame.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Example with the first back-spliced junctions.
# Multiple back-spliced junctions can also be analyzed at the same time.

# Annotate detected back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve target sequences
targets <- getSeqsFromGRs(
  annotatedBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Get motifs
motifs <-
getMotifs(
  targets,
  width = 6,
  species = "Hsapiens",
  rbp = TRUE,
  reverse = FALSE)

# Group motifs
mergedMotifs <- mergeMotifs(motifs)
```

miRspeciesCodes

miRspeciesCodes

Description

A data frame containing the code of the species as reported in miRBase 22 release. See also <http://www.mirbase.org>

Usage

```
data(miRspeciesCodes)
```


Format

A data frame with 271 rows and 2 columns

code is the unique identifier of the species as reported in miRBase db

species is the species

Examples

```
data(miRspeciesCodes)
```

plotExBetweenBSEs *Plot exons between back-spliced junctions*

Description

The function plotExBetweenBSEs() generates a bar chart showing the no. of exons in between the back-spliced junctions.

Usage

```
plotExBetweenBSEs(annotatedBSJs, title = "")
```

Arguments

annotatedBSJs A data frame with the annotated back-spliced junctions. This data frame can be generated with [annotateBSJs](#).

title A character string specifying the title of the plot.

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Plot
p <- plotExBetweenBSEs(annotatedBSJs, title = "")
p
```

plotExPosition *Plot back-spliced exon positions*

Description

The function `plotExPosition()` generates a bar chart showing the position of the back-spliced exons within the transcript.

Usage

```
plotExPosition(annotatedBSJs, title = "", n = 0, flip = FALSE)
```

Arguments

`annotatedBSJs` A data frame with the annotated back-spliced junctions. This data frame can be generated with [annotateBSJs](#).

`title` A character string specifying the title of the plot.

`n` An integer specifying the position counts cut-off. If 0 is specified all position are plotted. Default value is 0.

`flip` A logical specifying whether to flip the transcripts. If TRUE all transcripts are flipped and the last exons will correspond to the first ones, the second last exons to the second ones etc. Default value is FALSE.

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Plot
p <- plotExPosition(annotatedBSJs, title = "", n = 0, flip = FALSE)
p
```

plotHostGenes	<i>Plot circRNA host genes</i>
---------------	--------------------------------

Description

The function `plotHostGenes()` generates a bar chart showing the no. of circRNAs produced from each the circRNA host gene.

Usage

```
plotHostGenes(annotatedBSJs, title = "")
```

Arguments

annotatedBSJs	A data frame with the annotated back-spliced junctions. This data frame can be generated with annotateBSJs .
title	A character string specifying the title of the plot.

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Plot
p <- plotHostGenes(annotatedBSJs, title = "")
p
```

plotLenBSEs	<i>Plot length back-spliced exons</i>
-------------	---------------------------------------

Description

The function `plotLenBSEs()` generates vertical boxplots for comparison of length of back-spliced exons (e.g. detected Vs randomly selected).

Usage

```
plotLenBSEs(
  annotatedFBSJs,
  annotatedBBSJs,
  df1Name = "foreground",
  df2Name = "background",
  title = "",
  setyLim = FALSE,
  ylim = c(0, 8)
)
```

Arguments

annotatedFBSJs	A data frame with the annotated back-spliced junctions (e.g. detected). It can be generated with annotateBSJs . These act as foreground back-spliced junctions.
annotatedBBSJs	A data frame with the annotated back-spliced junctions (e.g. randomly selected). It can be generated with annotateBSJs . These act as background back-spliced junctions.
df1Name	A string specifying the name of the first data frame. This will be displayed in the legend of the plot.
df2Name	A string specifying the name of the second data frame. This will be displayed in the legend of the plot.
title	A character string specifying the title of the plot
setyLim	A logical specifying whether to set y scale limits. If TRUE the value in ylim will be used. Default value is FALSE.
ylim	An integer specifying the lower and upper y axis limits. Default values are c(0, 8).

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedFBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Get random back-spliced junctions
randomBSJunctions <- getRandomBSJunctions(n = 10, f = 10, gtf)

# Annotate random back-spliced junctions
annotatedBBSJs <- annotateBSJs(randomBSJunctions, gtf, isRandom = TRUE)
```

```
# Plot
p <- plotLenBSEs(
  annotatedFBSJs,
  annotatedBBSJs,
  df1Name = "foreground",
  df2Name = "background",
  title = "")
p
```

plotLenIntrons

Plot length introns flanking back-spliced junctions

Description

The function `plotLenIntrons()` generates vertical boxplots for comparison of length of introns flanking the back-spliced junctions (e.g. detected Vs randomly selected).

Usage

```
plotLenIntrons(
  annotatedFBSJs,
  annotatedBBSJs,
  df1Name = "foreground",
  df2Name = "background",
  title = "",
  setyLim = FALSE,
  ylim = c(0, 8)
)
```

Arguments

<code>annotatedFBSJs</code>	A data frame with the annotated back-spliced junctions (e.g. detected). It can be generated with <code>annotateBSJs</code> . These act as foreground back-spliced junctions.
<code>annotatedBBSJs</code>	A data frame with the annotated back-spliced junctions (e.g. randomly selected). It can be generated with <code>annotateBSJs</code> . These act as background back-spliced junctions.
<code>df1Name</code>	A string specifying the name of the first data frame. This will be displayed in the legend of the plot. Default value is "foreground".
<code>df2Name</code>	A string specifying the name of the first data frame. This will be displayed in the legend of the plot. Default value is "background".
<code>title</code>	A character string specifying the title of the plot.
<code>setyLim</code>	A logical specifying whether to set y scale limits. If TRUE the value in <code>ylim</code> will be used. Default value is FALSE.
<code>ylim</code>	An integer specifying the lower and upper y axis limits. Default values are <code>c(0, 8)</code> .

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedFBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Get random back-spliced junctions
randomBSJunctions <- getRandomBSJunctions( gtf, n = 10, f = 10)

# Annotate random back-spliced junctions
annotatedBBSJs <- annotateBSJs(randomBSJunctions, gtf, isRandom = TRUE)

# Plot
p <- plotLenIntrons(
  annotatedFBSJs,
  annotatedBBSJs,
  df1Name = "foreground",
  df2Name = "background",
  title = "")
p
```

plotMiR

Plot miRNA analysis results

Description

The function `plotMiR()` generates a scatter plot showing the number of miRNA binding sites for each miR found in the target sequence.

Usage

```
plotMiR(rearrangedMiRres, n = 40, color = "blue", miRid = FALSE, id = 1)
```

Arguments

rearrangedMiRres

A list containing containing rearranged miRNA analysis results. See [getMiRsites](#) and then [rearrangeMiRres](#).

n	An integer specifying the miRNA binding sites cut-off. The miRNA with a number of binding sites equals or higher to the cut-off will be colored. Default value is 40.
color	A string specifying the color of the top n miRs. Default value is "blue".
miRid	A logical specifying whether or not to show the miR ids in the plot. default value is FALSE.
id	An integer specifying which element of the list rearrangedMiRres to plot. Each element of the list contains the miR results relative to one circRNA. Default value is 1.

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve target sequences.
targets <- getCircSeqs(
  annotatedBSJs,
  gtf,
  genome)

# Screen target sequence for miR binding sites.
pathToMiRs <- system.file("extdata", "miRs.txt", package="circRNAprofiler")

# miRsites <- getMiRsites(
#   targets,
#   miRspeciesCode = "hsa",
#   miRBaseLatestRelease = TRUE,
#   totalMatches = 6,
#   maxNonCanonicalMatches = 1,
#   pathToMiRs)

# Rearrange miR results
# rearrangedMiRres <- rearrangeMiRres(miRsites)

# Plot
# p <- plotMiR(
#   rearrangedMiRres,
```

```
# n = 20,  
# color = "blue",  
# miRid = TRUE,  
# id = 3)  
# p
```

plotMotifs

Plot motifs analysis results

Description

The function `plotMotifs()` generates 2 bar charts showing the \log_2FC and the number of occurrences of each motif found in the target sequences (e.g detected Vs randomly selected).

Usage

```
plotMotifs(  
  mergedMotifsFTS,  
  mergedMotifsBTS,  
  log2FC = 1,  
  n = 0,  
  removeNegLog2FC = FALSE,  
  nf1 = 1,  
  nf2 = 1,  
  df1Name = "foreground",  
  df2Name = "background",  
  angle = 0  
)
```

Arguments

`mergedMotifsFTS`

A data frame containing the number of occurrences of each motif found in foreground target sequences (e.g from detected back-spliced junctions). It can be generated with the [mergeMotifs](#).

`mergedMotifsBTS`

A data frame containing the number of occurrences of each motif found in the background target sequences (e.g. from random back-spliced junctions). It can be generated with the [mergeMotifs](#).

`log2FC`

An integer specifying the \log_2FC cut-off. Default value is 1.

NOTE: \log_2FC is calculated as follow: normalized number of occurrences of each motif found in the foreground target sequences / normalized number of occurrences of each motif found in the background target sequences.

To avoid infinity as a value for fold change, 1 was added to number of occurrences of each motif found in the foreground and background target sequences before the normalization.

n	An integer specifying the number of motifs cutoff. E.g. if 3 is specified only motifs that are found at least 3 times in the foreground or background target sequences are retained. Default value is 0.
removeNegLog2FC	A logical specifying whether to remove the RBPs having a negative log2FC. If TRUE then only positive log2FC will be visualized. Default value is FALSE.
nf1	An integer specifying the normalization factor for the first data frame merged-MotifsFTS. The occurrences of each motif plus 1 are divided by nf1. The normalized values are then used for fold-change calculation. Set this to the number or length of target sequences (e.g from detected back-spliced junctions) where the motifs were extracted from. Default value is 1.
nf2	An integer specifying the normalization factor for the second data frame merged-MotifsBTS. The occurrences of each motif plus 1 are divided by nf2. The normalized values are then used for fold-change calculation. Set this to the number of target sequences (e.g from random back-spliced junctions) where the motifs were extracted from. Default value is 1. NOTE: If nf1 and nf2 is set equals to 1, the number or length of target sequences (e.g detected Vs randomly selected) where the motifs were extrated from, is supposed to be the same.
df1Name	A string specifying the name of the first data frame. This will be displayed in the legend of the plot. Default value is "foreground".
df2Name	A string specifying the name of the first data frame. This will be displayed in the legend of the plot. Default value is "background".
angle	An integer specifying the rotation angle of the axis labels. Default value is 0.

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedFBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get random back-spliced junctions
randomBSJunctions <- getRandomBSJunctions(gtf, n = 1, f = 10)

# Annotate random back-spliced junctions
annotatedBBSJs <- annotateBSJs(randomBSJunctions, gtf, isRandom = TRUE)

# Get genome
genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")
```

```
# Retrieve target sequences from detected back-spliced junctions
targetsFTS <- getSeqsFromGRs(
  annotatedFBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Retrieve target sequences from random back-spliced junctions
targetsBTS <- getSeqsFromGRs(
  annotatedBBSJs,
  genome,
  lIntron = 200,
  lExon = 10,
  type = "ie"
)

# Get motifs
motifsFTS <- getMotifs(
  targetsFTS,
  width = 6,
  database = 'ATtRACT',
  species = "Hsapiens",
  rbp = TRUE,
  reverse = FALSE)

motifsBTS <- getMotifs(
  targetsBTS,
  width = 6,
  database = 'ATtRACT',
  species = "Hsapiens",
  rbp = TRUE,
  reverse = FALSE)

# Merge motifs
mergedMotifsFTS <- mergeMotifs(motifsFTS)
mergedMotifsBTS <- mergeMotifs(motifsBTS)

# Plot
p <- plotMotifs(
  mergedMotifsFTS,
  mergedMotifsBTS,
  log2FC = 2,
  nf1 = nrow(annotatedFBSJs),
  nf2 = nrow(annotatedBBSJs),
  df1Name = "foreground",
  df2Name = "background")
```

Description

The function `plotTotExons()` generates a bar chart showing the total number of exons (`totExon` column) in the transcripts selected for the downstream analysis.

Usage

```
plotTotExons(annotatedBSJs, title = "")
```

Arguments

`annotatedBSJs` A data frame with the annotated back-spliced junctions. This data frame can be generated with `annotateBSJs`.

`title` A character string specifying the title of the plot

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first 10 back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1:10, ], gtf)

# Plot
p <- plotTotExons(annotatedBSJs, title = "")
p
```

rearrangeMiRres *Rearrange miR results*

Description

The function `rearrangeMiRres()` rearranges the results of the `getMiRsites()` function. Each element of the list contains the miR results relative to one circRNA. For each circRNA only miRNAs for which at least 1 miRNA binding site is found are reported.

Usage

```
rearrangeMiRres(miRsites)
```

Arguments

`miRsites` A list containing the miR sites found in the RNA target sequence. it can be generated with `getMiRsites`.

Value

A list.

Examples

```
# Load data frame containing predicted back-spliced junctions
data("mergedBSJunctions")

# Load short version of the gencode v19 annotation file
data("gtf")

# Annotate the first back-spliced junctions
annotatedBSJs <- annotateBSJs(mergedBSJunctions[1, ], gtf)

# Get genome
genome <- BSgenome::getBSgenome("BSgenome.Hsapiens.UCSC.hg19")

# Retrieve target sequences.
targets <- getCircSeqs(
  annotatedBSJs,
  gtf,
  genome)

# Screen target sequence for miR binding sites.
pathToMiRs <- system.file("extdata", "miRs.txt", package="circRNAprofiler")

# miRsites <- getMiRsites(
#   targets,
#   miRspeciesCode = "hsa",
#   miRBaseLatestRelease = TRUE,
#   totalMatches = 6,
#   maxNonCanonicalMatches = 1,
#   pathToMiRs)

# Rearrange miR results
# rearrangedMiRres <- rearrangeMiRres(miRsites)
```

volcanoPlot

Plot differential circRNA expression results

Description

The function `volcanoPlot()` generates a volcano plot with the results of the differential expression analysis.

Usage

```
volcanoPlot(
  res,
  log2FC = 1,
  padj = 0.05,
  title = "",
  gene = FALSE,
  geneSet = c(""),
  setxLim = FALSE,
  xlim = c(-8, 8),
  setyLim = FALSE,
  ylim = c(0, 5),
  color = "blue"
)
```

Arguments

res	A data frame containing the the differential expression results. It can be generated with getDeseqRes or getEdgerRes .
log2FC	An integer specifying the log2FC cut-off. Deafult value is 1.
padj	An integer specifying the adjusted P value cut-off. Deafult value is 0.05.
title	A character string specifying the title of the plot.
gene	A logical specifying whether to show all the host gene names of the differentially expressed circRNAs to the plot. Deafult value is FALSE.
geneSet	A character vector specifying which host gene name of the differentially expressed circRNAs to show in the plot. Multiple host gene names can be specofied. E.g. <code>c('TTN, RyR2')</code>
setxLim	A logical specifying whether to set x scale limits. If TRUE the value in xlim will be used. Deafult value is FALSE.
xlim	A numeric vector specifying the lower and upper x axis limits. Deafult values are <code>c(-8, 8)</code> .
setyLim	A logical specifying whether to set y scale limits. If TRUE the value in ylim will be used. Deafult value is FALSE.
ylim	An integer specifying the lower and upper y axis limits Deafult values are <code>c(0, 5)</code> .
color	A string specifying the color of the differentially expressed circRNAs. Default value is "blue".

Value

A ggplot object.

Examples

```
# Load data frame containing detected back-spliced junctions
data("mergedBSJunctions")

pathToExperiment <- system.file("extdata", "experiment.txt",
  package = "circRNAprofiler")

# Filter circRNAs
filterdCirc <- filterCirc(
  mergedBSJunctions,
  allSamples = FALSE,
  min = 5,
  pathToExperiment)

# Find differentially expressed circRNAs
deseqResBvsA <- getDeseqRes(
  filterdCirc,
  condition = "A-B",
  pAdjustMethod = "BH",
  pathToExperiment)

# Plot
p <- volcanoPlot(
  deseqResBvsA,
  log2FC = 1,
  padj = 0.05,
  title = "",
  setxLim = TRUE,
  xlim = c(-8 , 7.5),
  setyLim = FALSE,
  ylim = c(0 , 4),
  gene = FALSE)
p
```

Index

* datasets

- ahChainFiles, 3
- ahRepeatMasker, 4
- attractSpecies, 8
- backSplicedJunctions, 9
- gtf, 27
- gwasTraits, 28
- iupac, 34
- memeDB, 36
- mergedBSJunctions, 38
- miRspeciesCodes, 40

* internal

- importCircExplorer2, 28
- importCircMarker, 29
- importKnife, 30
- importMapSplice, 31
- importNCLscan, 31
- importOther, 32
- importUroborus, 33

- ahChainFiles, 3
- ahRepeatMasker, 4
- annotateBSJs, 4, 15, 25, 26, 41–45, 51
- annotateRepeats, 5
- annotateSNPsGWAS, 7
- AnnotationHub, 5
- attractSpecies, 8
- available.genomes, 15, 25, 26

- backSplicedJunctions, 9, 14

- calcNormFactors, 18
- checkProjectFolder, 10

- DESeq, 16

- filterCirc, 11
- formatGTF, 5, 13, 14, 15, 24, 25, 27, 29, 37

- getBackSplicedJunctions, 5, 9, 12, 13, 16, 18, 35, 37

- getBSgenome, 15, 25, 26
- getCircSeqs, 14, 20, 22
- getDeseqRes, 15, 53
- getDetectionTools, 17, 37
- getEdgerRes, 18, 53
- getMiRsites, 19, 46, 52
- getMotifs, 21, 39
- getRandomBSJunctions, 5, 24, 35
- getRegexPattern, 24
- getSeqsAcrossBSJs, 22, 25
- getSeqsFromGRs, 6, 7, 22, 26
- gtf, 27
- gwasTraits, 28

- importCircExplorer2, 28
- importCircMarker, 29
- importKnife, 30
- importMapSplice, 31
- importNCLscan, 31
- importOther, 32
- importUroborus, 33
- initCircRNAprofiler, 10, 34
- iupac, 34

- liftBSJcoords, 35

- makeCurrentGwascat, 7
- memeDB, 36
- mergeBSJunctions, 5, 12, 16, 18, 35, 37
- mergedBSJunctions, 38, 38
- mergeMotifs, 39, 48
- miRspeciesCodes, 40

- p.adjust, 16, 18
- plotExBetweenBSEs, 41
- plotExPosition, 42
- plotHostGenes, 43
- plotLenBSEs, 43
- plotLenIntrons, 45
- plotMiR, 46

plotMotifs, [48](#)

plotTotExons, [50](#)

rearrangeMiRes, [46](#), [51](#)

volcanoPlot, [52](#)