

# Package 'PWMEnrich.Mmusculus.background'

December 10, 2024

**Maintainer** Diego Diez <diego10ruiz@gmail.com>

**License** GPL-3

**Title** M. musculus background for PWMEnrich

**Type** Package

**LazyLoad** yes

**Author** Robert Stojnic

**Description** PWMEnrich pre-compiled background objects for M.musculus (mouse) and MotifDb M. musculus motifs.

**Version** 4.41.0

**biocViews** Mus\_musculus\_Data

**Date** 2015-09-30

**Depends** R (>= 2.10), methods, PWMEnrich

**git\_url** <https://git.bioconductor.org/packages/PWMEnrich.Mmusculus.background>

**git\_branch** devel

**git\_last\_commit** 4505f19

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.21

**Date/Publication** 2024-12-10

## Contents

PWMEnrich.Mmusculus.background-package . . . . .	2
<b>Index</b>	<b>4</b>

---

PWMErich.Mmusculus.background-package

*PWMErich.Mmusculus.background package overview*

---

## Description

This package provides a set of pre-compiled genomic background files for the PWMErich package and *M. musculus* (mouse). The backgrounds were pre-compiled using unique 2kb promoters in mouse.

- `MotifDb.Mmus.PFM` - a list of position frequency matrices (PFMs) from `MotifDb`
- `MotifDb.Mmus` - the corresponding PWMs generated by using the background frequencies of A,C,G,T in a set of 2kb mouse (mm9) promoters.
- `PWMLogn.mm9.MotifDb.Mmus` - pre-compiled threshold-free lognormal background for `MotifDb` mouse PWMs. The lognormal distribution is fitted to 500bp chunks of 2kb mouse (mm9) promoters.
- `PWMCutoff4.mm9.MotifDb.Mmus`, `PWMCutoff5.mm9.MotifDb.Mmus` - pre-compiled Z-score background with cutoff of 4 and 5 (base e) for `MotifDb` mouse PWMs. The number of hits is counted in 2kb mouse (mm9) promoters.
- `PWMPvalueCutoff1e2.mm9.MotifDb.Mmus`, `PPWMPvalueCutoff1e3.mm9.MotifDb.Mmus`, `PPWMPvalueCutoff1e4.mm9.MotifDb.Mmus` - pre-compiled Z-score background with P-value cutoff of 0.01, 0.001, and 0.0001 for `MotifDb` mouse PWMs. The number of hits with smaller P-value than cutoff is counted in 2kb mouse (mm9) promoters.

## Usage

```
data(MotifDb.Mmus.PFM)
data(MotifDb.Mmus)
data(PWMLogn.mm9.MotifDb.Mmus)
data(PWMCutoff4.mm9.MotifDb.Mmus)
data(PWMCutoff5.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e2.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e3.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e4.mm9.MotifDb.Mmus)
```

## Details

All of these objects were created with the appropriate functions available in the PWMErich package (see Section 'See also'). We recommend using these functions to generate backgrounds for a custom set of background sequences and/or DNA motifs.

This package also contains the 2kb upstream sequences for mouse genes (`mm9.upstream2000`) which were removed from the `BSgenome.Mmusculus.UCSC.mm9` package starting from Bioconductor version 3.0.

**Author(s)**

Robert Stojnic  
Cambridge Systems Biology Centre  
University of Cambridge, UK  
Maintainer: Robert Stojnic <robert.stojnic@gmail.com>

**See Also**

[makeBackground](#), [makePWMLognBackground](#), [makePWMCutoffBackground](#), [makePWMEmpiricalBackground](#).

**Examples**

```
data(PWMLogn.mm9.MotifDb.Mmus)

res = motifEnrichment(DNAString("TGCATCAAGTGTGTAGTGCAAGTGAGTGATGAATGC"),
  PWMLogn.mm9.MotifDb.Mmus)

groupReport(res)[1:10]
```

# Index

\* **package** 2  
    PWMErich.Mmusculus.background-package,  
        2

makeBackground, 3  
makePWMCutoffBackground, 3  
makePWMEmpiricalBackground, 3  
makePWMLognBackground, 3  
mm9.upstream2000  
    (PWMErich.Mmusculus.background-package),  
        2

MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMCutoff4.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMCutoff5.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMErich.Mmusculus.background  
    (PWMErich.Mmusculus.background-package),  
        2

PWMErich.Mmusculus.background-package,  
    2

PWMGEV.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMLogn.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMPvalueCutoff1e2.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMPvalueCutoff1e3.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),  
        2

PWMPvalueCutoff1e4.mm9.MotifDb.Mmus  
    (PWMErich.Mmusculus.background-package),