

Package ‘fourDNData’

December 10, 2024

Title 4DN data package

Version 1.7.0

Date 2022-08-16

Description fourDNData is a data package giving programmatic access to Hi-C contact matrices uniformly processed by the [4DN consortium](https://www.4dnucleome.org/). The matrices are available in the multi-resolution ‘.mcool’ format.

License MIT + file LICENSE

URL <https://github.com/js2264/fourDNData>

BugReports <https://github.com/js2264/fourDNData/issues>

Depends R (>= 4.2)

Imports BiocFileCache, HiCExperiment, GenomicRanges, IRanges, S4Vectors, utils, tools

Suggests rtracklayer, dplyr, testthat, methods, BiocStyle, knitr, rmarkdown

biocViews ExperimentData, SequencingData

Encoding UTF-8

VignetteBuilder knitr

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

git_url https://git.bioconductor.org/packages/fourDNData

git_branch devel

git_last_commit 7a26779

git_last_commit_date 2024-10-29

Repository Bioconductor 3.21

Date/Publication 2024-12-10

Author Jacques Serizay [aut, cre]

Maintainer Jacques Serizay <jacquesserizay@gmail.com>

Contents

| | |
|---------------------------|----------|
| fourDNData | 2 |
| fourDNDataCache | 3 |
| Index | 4 |

| | |
|------------|-------------------|
| fourDNData | <i>fourDNData</i> |
|------------|-------------------|

Description

Fetches files from the 4DN data portal and caches them using the BiocFileCache system.

Arguments

`experimentSetAccession` Any 4DN-provided `experimentSet` Accession number (check <https://data.4dnucleome.org/browse/>) for a browser-based explorer.

`type` any of `c('pairs', 'hic', 'mcool', 'boundaries', 'insulation', 'compartments')`

`.fetch_pairs` Whether to also download the associated pairs file

Value

`fourDNData()` returns the local path of the queried file cached with `BiocFileCache`. `fourDNHiCExperiment()` returns a `HiCExperiment` object with populated metadata and `topologicalFeatures` (if available).

Examples

```
#####
## Importing individual 4DN files ##
#####

head(fourDNData())
mcf <- fourDNData(experimentSetAccession = '4DNESDP9ECMN', type = 'mcool')
mcf

#####
## Importing full 4DN experiments ##
#####

id <- fourDNData() |>
  dplyr::filter(
    experimentType == 'in situ Hi-C',
    biosource == 'GM12878',
    publication == 'Sanborn AL et al. (2015)'
  ) |>
  dplyr::arrange(size) |>
  dplyr::pull(experimentSetAccession) |>
  unique()
```

```
id[1]
x <- fourDNHiCExperiment(id[1])
x
HiCExperiment::topologicalFeatures(x)
S4Vectors::metadata(x)$`4DN_info`
```

| | |
|-----------------|---------------------------------------------------------------|
| fourDNDataCache | <i>Manage cache / download files from the 4DN data portal</i> |
|-----------------|---------------------------------------------------------------|

Description

Managing 4DN data downloads via the integrated BiocFileCache system.

Usage

```
fourDNDataCache(...)
```

Arguments

... Arguments passed to internal `.setFourDNDataCache` function

Value

BiocFileCache object

Examples

```
bfc <- fourDNDataCache()
bfc
BiocFileCache::bfcinfo(bfc)
```

Index

fourDNData, [2](#)
fourDNDataCache, [3](#)
fourDNHiCExperiment (fourDNData), [2](#)